

one



16

Decorative

Pages 567-608

MR16 | GU5,3 | G9 | E27 | E14 | SMD LED | LED

Die cast + crystal | Wood | Metal + glass | Plastic | ABS | PC | Steel + aluminium

LED BUILT IN  IP20 IP44 IP65

 ADJUSTABLE  DIMMABLE  3-STEP DIMMABLE  IK⁰⁶  CE  80 CRI  2 YEAR  3 YEAR  5 YEAR





The Oriental Range Metal



61048A | 40W | E27 | Metal | Table lamp




IP20



61048B | 40W | E27 | Metal | Floor lamp



IP20



| Order Code | Colour | Watts | Input | Class | | Notes |
|---------------|------------------|-------|----------|-------|---|-------|
| 61048A | Antique oriental | 40W | 100-240V | | 1 | - |
| 61048B | Antique oriental | 40W | 100-240V | | 1 | - |

one

The Oriental Range Metal



61050A | 40W | E27 | Metal | Table lamp




IP20



5
YEAR



Suitable for E27 LED lamp.



61050B | 40W | E27 | Metal | Floor lamp




IP20






5
YEAR



Suitable for E27 LED lamp.



| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|------------------|-------|----------|--|---|-------|
| 61050A | Antique oriental | 40W | 100-240V |  | 1 | - |
| 61050B | Antique oriental | 40W | 100-240V |  | 1 | - |




The LED Flickering Candles



9C006 | LED | Flickering flame | Metal + glass

ON/OFF and 5 hours timer functions.


IP20
offer




9C008 | LED | Flickering flame | Plastic

ON/OFF and 5 hours timer functions.

IP20
offer



| Order Code | Battery |  | Notes |
|------------|---------|---|-------|
| 9C006/F | 2xAA | 10 | - |
| 9C008/F | 2xC | 8 | - |



The LED Flickering Candles




9C004A | LED | Flickering candle | Plastic

ON/OFF and 5 hours timer functions.



IP20
offer




9C004B | LED | Flickering candle | Plastic

ON/OFF and 5 hours timer functions.



IP20
offer



| Order Code | Battery |  | Notes |
|------------|---------|---|-------|
| 9C004A/F | 2xAA | 24 | - |
| 9C004B/F | 2xAA | 24 | - |

one




Portable Trendy Light



61082A/W



61082A/B



61082A/BR



61082A/B



61082A/W



61082A/BR


Portable Trendy Light



61082A/W

61082A | 3,3W | SMD LED | Touch switch | Dimmable | Die cast

Rechargeable USB socket.




Charging time: 6Hrs
Working time: 9Hrs



61082A/B

61082A | 3,3W | SMD LED | Touch switch | Dimmable | Die cast

Rechargeable USB socket.





Charging time: 6Hrs
Working time: 9Hrs



61082A/BR

61082A | 3,3W | SMD LED | Touch switch | Dimmable | Die cast

Rechargeable USB socket.



Charging time: 6Hrs
Working time: 9Hrs



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-----|---------------------------|
| 61082A/W | White | Warm white | 3000K | 3,3W | 200lm | III | 6 | 2x2200mAh lithium battery |
| 61082A/B | Black | Warm white | 3000K | 3,3W | 200lm | III | 6 | 2x2200mAh lithium battery |
| 61082A/BR | Brown | Warm white | 3000K | 3,3W | 200lm | III | 6 | 2x2200mAh lithium battery |




Portable Table Lights



61090 | 2,5W | SMD LED | CCT Adjustable | Dimmable | Die cast + polycarbonate diffuser | Rechargeable USB socket.



new
IP65




Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity



61094 | 1,8W | SMD LED | Dimmable | Die cast | Rechargeable USB socket.



new
IP65



Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | | Notes |
|------------|--------|-------------------------------|---------------|-------|------------|-------|---|---------------------------|
| 61090/W | White | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 100lm | | 6 | 2x4400mAh lithium battery |
| 61090/B | Black | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 100lm | | 6 | 2x4400mAh lithium battery |
| 61094/W/UW | White | Ultra warm white | 2200K | 1,8W | 120lm | | 6 | 2x4400mAh lithium battery |

Portable Table Lights




61092/W

61092 | 2,5W | SMD LED | CCT Adjustable | Dimmable | Die cast

Rechargeable USB socket.

new
IP65



Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity




61092/B


61092 | 2,5W | SMD LED | CCT Adjustable | Dimmable | Die cast

Rechargeable USB socket.

new
IP65



Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity




61092/C

61092 | 2,5W | SMD LED | CCT Adjustable | Dimmable | Die cast

Rechargeable USB socket.

new
IP65



Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity




61092/GL

61092 | 2,5W | SMD LED | CCT Adjustable | Dimmable | Die cast

Rechargeable USB socket.

new
IP65




Charging time: ≤6,5Hrs
Working time: ≥10Hrs
100% light intensity




61000 | Charging station for 61090 & 61092 | 100-240V

Charge up to 6 table lamps.

new
IP20



Charging USB adaptor.
Order code 61000A.



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | Notes |
|------------|--------|-------------------------------|---------------|-------|------------|-------|-----------------------------|
| 61092/W | White | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 120lm | III | 6 2x4400mAh lithium battery |
| 61092/B | Black | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 120lm | III | 6 2x4400mAh lithium battery |
| 61092/C | Chrome | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 120lm | III | 6 2x4400mAh lithium battery |
| 61092/GL | Gold | Extra warm white - Warm white | 2700K - 3000K | 2,5W | 120lm | III | 6 2x4400mAh lithium battery |



Portable Table Lights




61084 | 2W | SMD LED | Touch switch | 3-Step dimming | Metal + PC


Rechargeable USB socket.



IP44




Charging time: 4Hrs
Working time: 8Hrs





61088 | 3W | SMD LED | 3-Step dimming | ABS

Rechargeable USB socket.



new
IP65



Charging time: 3,5Hrs
Working time:
4Hrs / 8Hrs / 15Hrs
100% / 50% / 25%



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-----|---------------------------|
| 61084/B | Black | Warm white | 3000K | 2W | 80lm | III | 8 | 1x2200mAh lithium battery |
| 61088/W | White | Warm white | 3000K | 3W | 120lm | III | 9 | 1x2200mAh lithium battery |
| 61088/B | Black | Warm white | 3000K | 3W | 120lm | III | 9 | 1x2200mAh lithium battery |

The Wood Nostalgia



61118 | 12W | E27 | Wood + beige fabric shade

EU Plug.



5
YEAR



IP20



61118A | 12W | E27 | Wood + beige fabric shade

EU Plug.



5
YEAR




IP20

| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|--------|-------|----------|-------|---|--------------------|
| 61118 | Wood | 12W | 100-240V | | 4 | With ON/OFF Switch |
| 61118A | Wood | 12W | 100-240V | | 1 | With ON/OFF Switch |



The Ribbon Table Lamp





IP20

61086 | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR





IP20

61086 | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR




IP20

61086 | 10W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 61086/W | White | Warm white | 3000K | 10W | 550lm | 230V | | 5 | Complete with 24V DC driver |
| 61086/B | Black | Warm white | 3000K | 10W | 550lm | 230V | | 5 | Complete with 24V DC driver |
| 61086/BS | Brass | Warm white | 3000K | 10W | 550lm | 230V | | 5 | Complete with 24V DC driver |



The Ribbon Floor Lamp




61086A/W

IP20

61086A | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR






61086A/B

IP20

61086A | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR




61086A/BS

IP20

61086A | 29W | SMD 2835 | Steel + aluminium + acrylic

With ON/OFF Switch / EU Plug.

LED
 BUILT IN
80
 CRI **CE** **2**
 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 61086A/W | White | Warm white | 3000K | 29W | 1740lm | 230V | | 1 | Complete with 24V DC driver |
| 61086A/B | Black | Warm white | 3000K | 29W | 1740lm | 230V | | 1 | Complete with 24V DC driver |
| 61086A/BS | Brass | Warm white | 3000K | 29W | 1740lm | 230V | | 1 | Complete with 24V DC driver |




LED Pendant Rings



63046 | 25W | SMD 2835 | Steel + aluminium


Oval shape.



IP20



63046A | 45W | SMD 2835 | Steel + aluminium




IP20

63046A/W

63046A/B



63046B | 50W | SMD 2835 | Steel + aluminium



IP20

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|-----------------|--------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 63046/W | White | Warm white | 3000K | 25W | 1540lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63046A/W | White | Warm white | 3000K | 45W | 2700lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63046A/B | Black | Warm white | 3000K | 45W | 2700lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63046B/W | White | Warm white | 3000K | 50W | 3000lm | 230V | ⊕ | 1 | Complete with 24V DC driver |




LED Pendant Rings



63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR




IP20

63048/W



63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR




IP20

63048/B



63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR



IP20

63048/C

| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63048/W | White | Warm white | 3000K | 19W | 1000lm | 230V | | 1 | Complete with 24V DC driver |
| 63048/B | Black | Warm white | 3000K | 19W | 1000lm | 230V | | 1 | Complete with 24V DC driver |
| 63048/C | Chrome | Warm white | 3000K | 19W | 1000lm | 230V | | 1 | Complete with 24V DC driver |

LED Pendant Rings



63050 | 40W | SMD 2835 | Steel + aluminium




63050/W

IP20



63050/B



62144NB | 50W | SMD 2835 | Metal




62144NB/W/W

IP20



62144NB/B/W



62144NB | 50W | SMD 2835 | Metal




62144NB/BBS/W

new

IP20



62144NB/BGL/W



63114 | 40W | SMD 2835 | Metal + ABS




63114/W/W

IP20



63114/B/W



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|----------------------|---------------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 63050/W | White | Warm white | 3000K | 40W | 2250lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63050/B | Black | Warm white | 3000K | 40W | 2250lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 62144NB/W/W | White | Warm white | 3000K | 50W | 3000lm | 230V | ⊕ | 1 | Complete with 1200mA driver |
| 62144NB/B/W | Black | Warm white | 3000K | 50W | 3000lm | 230V | ⊕ | 1 | Complete with 1200mA driver |
| 62144NB/BBS/W | Brushed brass | Warm white | 3000K | 50W | 3000lm | 230V | ⊕ | 1 | Complete with 1200mA driver |
| 62144NB/BGL/W | Brushed gold | Warm white | 3000K | 50W | 3000lm | 230V | ⊕ | 1 | Complete with 1200mA driver |
| 63114/W/W | White | Warm white | 3000K | 40W | 2400lm | 230V | ⊕ | 1 | Complete with 1000mA driver |
| 63114/B/W | Black | Warm white | 3000K | 40W | 2400lm | 230V | ⊕ | 1 | Complete with 1000mA driver |

one




LED Circle Rings



62156C | 65W | SMD 2835 | Aluminium




IP20



62156D | 100W | SMD 2835 | Aluminium



IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|--------------|---------------|--------------|---------|-------|------------|-------|-------|-----|------------------------------|
| 62156C/B/W | Black | Warm white | 3000K | 65W | 4300lm | 230V | ⌚ | 1 | Complete with 1600mA driver |
| 62156C/BBS/W | Brushed brass | Warm white | 3000K | 65W | 4300lm | 230V | ⌚ | 1 | Complete with 1600mA driver |
| 62156D/B/W | Black | Warm white | 3000K | 100W | 6500lm | 230V | ⌚ | 1 | Complete with 1200mA drivers |

one




The Swirl Range





IP20

63066A | 30W | SMD 2835 | Steel + aluminium



IP20

63066 | 30W | SMD 2835 | Steel + aluminium



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63066A/W | White | Warm white | 3000K | 30W | 1800lm | 230V | | 1 | Complete with 24V DC driver |
| 63066A/B | Black | Warm white | 3000K | 30W | 1800lm | 230V | | 1 | Complete with 24V DC driver |
| 63066/W | White | Warm white | 3000K | 30W | 1500lm | 230V | | 1 | Complete with 24V DC driver |
| 63066/B | Black | Warm white | 3000K | 30W | 1500lm | 230V | | 1 | Complete with 24V DC driver |


The Swirl Range



63062 | 36W | SMD 2835 | Steel + aluminium + acrylic

LED BUILT IN
80 CRI
CE
2 YEAR



IP20



63068A | 40W | SMD 2835 | Steel + aluminium + acrylic

LED BUILT IN
80 CRI
CE
2 YEAR


IP20



63068 | 30W | SMD 2835 | Steel + aluminium + acrylic

LED BUILT IN
80 CRI
CE
2 YEAR

IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|-----|-----------------------------|
| 63062/BS | Brass | Warm white | 3000K | 36W | 1800lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63068A/BS | Brass | Warm white | 3000K | 40W | 2400lm | 230V | ⊕ | 1 | Complete with 24V DC driver |
| 63068/BS | Brass | Warm white | 3000K | 30W | 1500lm | 230V | ⊕ | 1 | Complete with 24V DC driver |



The Crystal Swirl Range




63054A | 20W | SMD 2835 | Steel + aluminium + acrylic crystal look





LED BUILT IN
80 CRI **CE** **2 YEAR**

IP20




63054B | 40W | SMD 2835 | Steel + aluminium + acrylic crystal look





LED BUILT IN
80 CRI **CE** **2 YEAR**

IP20




63054C | 150W | SMD 2835 | Steel + aluminium + acrylic crystal look









LED BUILT IN
80 CRI **CE** **2 YEAR**

IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|-----------------|--------|--------------|---------|-------|------------|-------|---|---|-----------------------------|
| 63054A/B | Black | Warm white | 3000K | 20W | 1000lm | 230V |  | 1 | Complete with 24V DC driver |
| 63054B/B | Black | Warm white | 3000K | 40W | 2000lm | 230V |  | 1 | Complete with 24V DC driver |
| 63054C/B | Black | Warm white | 3000K | 150W | 8500lm | 230V |  | 1 | Complete with 24V DC driver |

one


The Light Bars



63056 | 65W | SMD 2835 | Steel + aluminium + acrylic

LED BUILT IN
80 CRI
CE
2 YEAR

IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | ⊞ | Notes |
|------------|---------------|--------------|---------|-------|------------|-------|-------|---|-----------------------------|
| 63056/BBS | Brushed brass | Warm white | 3000K | 65W | 3900lm | 230V | ⊞ | 1 | Complete with 24V DC driver |


Mushroom Pendants



63058 | 60W | SMD 2835 | Aluminium




IP20



63058A | 80W | SMD 2835 | Aluminium



IP20




| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | 📦 | Notes |
|--------------|--------------------|--------------|---------|-------|------------|-------|-------|---|------------------------------|
| 63058/BAN/W | Brushed anthracite | Warm white | 3000K | 60W | 4200lm | 230V | ⚡ | 1 | Complete with 1400mA driver |
| 63058/BGL/W | Brushed gold | Warm white | 3000K | 60W | 4200lm | 230V | ⚡ | 1 | Complete with 1400mA driver |
| 63058/BBR/W | Brushed brown | Warm white | 3000K | 60W | 4200lm | 230V | ⚡ | 1 | Complete with 1400mA driver |
| 63058A/BAN/W | Brushed anthracite | Warm white | 3000K | 80W | 5600lm | 230V | ⚡ | 1 | Complete with 1050mA drivers |
| 63058A/BGL/W | Brushed gold | Warm white | 3000K | 80W | 5600lm | 230V | ⚡ | 1 | Complete with 1050mA drivers |
| 63058A/BBR/W | Brushed brown | Warm white | 3000K | 80W | 5600lm | 230V | ⚡ | 1 | Complete with 1050mA drivers |




LED Pendant Rings



62142NB | 42W | SMD 2835 | Aluminium



62180NB | 80W | SMD 2835 | Metal base + aluminium + PMMA



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Box | Notes |
|--------------|------------|--------------|---------|-------|------------|-------|-------|-----|------------------------------|
| 62142NB/W/W | White | Warm white | 3000K | 42W | 3570lm | 230V | ⊕ | 1 | Complete with 1050mA driver |
| 62142NB/AN/W | Anthracite | Warm white | 3000K | 42W | 3570lm | 230V | ⊕ | 1 | Complete with 1050mA driver |
| 62180NB/W/W | White | Warm white | 3000K | 80W | 6400lm | 230V | ⊕ | 1 | Complete with 1000mA drivers |
| 62180NB/B/W | Black | Warm white | 3000K | 80W | 6400lm | 230V | ⊕ | 1 | Complete with 1000mA drivers |

The Cloud Series



62148A | 23W | SMD 2835 | Metal base + PC



IP20



LED
 BUILT IN
80
 CRI


3
 YEAR



62148B | 40W | SMD 2835 | Metal base + PC



IP20



LED
 BUILT IN
80
 CRI


3
 YEAR



62148D | 108W | SMD 2835 | Metal base + PC








IP20



LED
 BUILT IN
80
 CRI


3
 YEAR



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|-----------------|--------|--------------|---------|-------|------------|-------|---|---|------------------------------|
| 62148A/W | White | Warm white | 3000K | 23W | 1900lm | 230V |  | 1 | Complete with 500mA driver |
| 62148B/W | White | Warm white | 3000K | 40W | 3200lm | 230V |  | 1 | Complete with 1000mA driver |
| 62148D/W | White | Warm white | 3000K | 108W | 8700lm | 230V |  | 1 | Complete with 1300mA drivers |

The Cloud Pendant Series




63110C | 80W | SMD 2835 | Metal base + PC



LED BUILT IN
80 CRI

3 YEAR

IP20




63110D | 108W | SMD 2835 | Metal base + PC



LED BUILT IN
80 CRI

3 YEAR

IP20



63112 | 60W | SMD 2835 | Metal + Plastic







LED BUILT IN
80 CRI

2 YEAR

IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class |  | Notes |
|------------|--------|--------------|---------|-------|------------|-------|---|---|------------------------------|
| 63110C/W | White | Warm white | 3000K | 80W | 6400lm | 230V |  | 1 | Complete with 1000mA drivers |
| 63110D/W | White | Warm white | 3000K | 108W | 8700lm | 230V |  | 1 | Complete with 1300mA drivers |
| 63112/W | White | Warm white | 3000K | 60W | 4800lm | 230V |  | 1 | Complete with 1300mA driver |

one




The Glass Stone Series

62184A | 24W | SMD 2835 | Metal + glass





new
IP20



62184B | 24W | SMD 2835 | Metal + glass



new
IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | 📦 | Notes |
|-------------------|--------|--------------|---------|-------|------------|-------|-------|---|----------------------------|
| 62184A/C/W | Chrome | Warm white | 3000K | 24W | 1300lm | 230V | ⊕ | 1 | Complete with 300mA driver |
| 62184B/C/W | Chrome | Warm white | 3000K | 24W | 1300lm | 230V | ⊕ | 1 | Complete with 300mA driver |

one




The Glass Stone Series

63184C | 24W | SMD 2835 | Metal + glass






new
IP20



| Order Code | Colour | Light Colour | CCT (K) | Watts | Lumen (lm) | Input | Class | Notes |
|------------|--------|--------------|---------|-------|------------|-------|-------|----------------------------|
| 63184C/C/W | Chrome | Warm white | 3000K | 24W | 1300lm | 230V | 1 | Complete with 600mA driver |


The Nordic Decorative Range



62116 | 9W | G9 | Steel




IP20



62116A | 5x9W | G9 | Steel




IP20



60116 | 9W | G9 | Steel




IP20



61116 | 9W | G9 | Steel



IP20



EU Schuko Plug.

| Order Code | Colour | Watts | Input | Class | | | Notes |
|------------|---------------|-------|----------|-------|-------|---|--------------------|
| 62116/BBS | Brushed brass | 9W | 100-240V | | - | 4 | - |
| 62116A/BBS | Brushed brass | 5x9W | 100-240V | | - | 2 | - |
| 60116/BBS | Brushed brass | 9W | 100-240V | | - | 4 | - |
| 61116/B | Black | 9W | 100-240V | | 150cm | 4 | With ON/OFF Switch |
| 61116/BBS | Brushed brass | 9W | 100-240V | | 150cm | 4 | With ON/OFF Switch |



The Nordic Decorative Range




63116 | 9W | G9 | Steel



5
YEAR

IP20




63116A | 5x9W | G9 | Steel



5
YEAR

IP20



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|---------------|-------|----------|-------|---|-------|
| 63116/BBS | Brushed brass | 9W | 100-240V | | 4 | - |
| 63116A/BBS | Brushed brass | 5x9W | 100-240V | | 2 | - |

one



The Nordic Decorative Range

62174A | 8W | E14 | Metal + glass




IP20



3
YEAR



Suitable for E14 LED lamp.



62174B | 4x8W | E14 | Metal + glass




IP20



3
YEAR



Suitable for E14 LED lamps.



63174C | 3x8W | E14 | Metal + glass




IP20







3
YEAR



Suitable for E14 LED lamps.




| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|--------|-------|----------|--|---|-------|
| 62174A/BS | Brass | 8W | 100-240V |  | 1 | - |
| 62174B/BS | Brass | 4x8W | 100-240V |  | 1 | - |
| 63174C/BS | Brass | 3x8W | 100-240V |  | 1 | - |

one

Retro Ceiling Lights




62172A | 12W | E27 | Metal



IP20




62172B | 3x12W | E27 | Metal



IP20



62172C | 6x12W | E27 | Metal



IP20

| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|--------|-------|----------|-------|----|-------|
| 62172A/BS | Brass | 12W | 100-240V | | 10 | - |
| 62172B/BS | Brass | 3x12W | 100-240V | | 5 | - |
| 63172C/BS | Brass | 6x12W | 100-240V | | 5 | - |



Retro Classic Pendants



63134P | 4x8W | E14 | Fabric + glass




3
YEAR

IP20



Suitable for E14 LED lamps.



| Order Code | Colour | Watts | Input | Class | Class | Notes |
|------------|-----------|-------|----------|-------|-------|-------|
| 63134P | Dark grey | 4x8W | 100-240V | ⊕ | 1 | - |




Retro Classic Range



63132P | 8x8W | E14 | Aluminium + glass



3
YEAR




IP20






60132 | 2x8W | E14 | Aluminium + glass



3
YEAR



IP20

| Order Code | Colour | Watts | Input | Class |  | Notes |
|------------|--------|-------|----------|---|---|-------|
| 63132P | Brass | 8x8W | 100-240V |  | 1 | - |
| 60132 | Brass | 2x8W | 100-240V |  | 8 | - |



Glass Range Pendants





63136 | 12W | E27 | Metal + glass



IP20



Suitable for E27 LED lamp.




63138 | 12W | E27 | Metal + glass



IP20



Suitable for E27 LED lamp.




63138 | 12W | E27 | Metal + glass



IP20




Suitable for E27 LED lamp.



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|-------------|-------|----------|-------|---|-------|
| 63136/DC | Dark chrome | 12W | 100-240V | | 2 | - |
| 63138/A | Amber | 12W | 100-240V | | 4 | - |
| 63138/DC | Dark chrome | 12W | 100-240V | | 4 | - |





Modern Glass Art Range



62170A | 4x9W | G9 | Metal + glass




IP20



62170B | 6x9W | G9 | Metal + glass



IP20



| Order Code | Colour | Watts | Input | Class | | Notes |
|---------------|--------|-------|----------|-------|---|-------|
| 62170A | Copper | 4x9W | 100-240V | ⊕ | 1 | - |
| 62170B | Copper | 6x9W | 100-240V | ⊕ | 1 | - |




The Classic Retro Range



62176A | 3x9W | G9 | Metal + glass




IP20




62176B | 5x9W | G9 | Metal + glass




IP20



60176 | 2x9W | G9 | Metal + glass



IP20



| Order Code | Colour | Watts | Input | Class | Box | Notes |
|------------|--------|-------|----------|-------|-----|-------|
| 62176A | Chrome | 3x9W | 100-240V | ⊕ | 4 | - |
| 62176B | Chrome | 5x9W | 100-240V | ⊕ | 1 | - |
| 60176 | Chrome | 2x9W | 100-240V | ⊕ | 10 | - |




The Classic Luxury Range

62162A | 6x9W | G9 | Metal + plastic beads + glass




3
YEAR




IP20



60162 | 2x9W | G9 | Metal + Plastic beads + glass



3
YEAR



IP20



| Order Code | Colour | Watts | Input | Class | | Notes |
|---------------|--------|-------|----------|-------|---|-------|
| 62162A | Chrome | 6x9W | 100-240V | | 1 | - |
| 60162 | Chrome | 2x9W | 100-240V | | 8 | - |




The Classic Range



62158A | 4x9W | G9 | Metal + aluminium rods + glass




IP20




62158B | 6x9W | G9 | Metal + aluminium rods + glass




IP20



60158 | 2x9W | G9 | Metal + aluminium rods + glass



IP20



| Order Code | Colour | Watts | Input | Class | | Notes |
|------------|--------|-------|----------|-------|---|-------|
| 62158A | Chrome | 4x9W | 100-240V | | 4 | - |
| 62158B | Chrome | 6x9W | 100-240V | | 1 | - |
| 60158 | Chrome | 2x9W | 100-240V | | 8 | - |

one


The Classic Range



63130P | 9x9W | G9 | Metal + glass rods + glass



IP20



| Order Code | Colour | Watts | Input | Class | Class | Notes |
|------------|--------|-------|----------|-------|-------|-------|
| 63130P | Chrome | 9x9W | 100-240V | ⊕ | 1 | - |

one



Crystal Recessed Die cast + crystal





10105C4 | 50W | MR16 | GU5,3 | Die cast + crystal




3
YEAR

IP20
offer



| Order Code | Colour | Watts | Input | Class | 40cm | 72mm | 50mm | 4 | Notes |
|------------|--------|-------|-------|-------|------|------|------|---|-------|
| 10105C4/C | Chrome | 50W | 12V | | | | | | - |




The Classic Range



62164A | 4x9W | G9 | Metal + glass rods + glass




IP20



62164B | 6x9W | G9 | Metal + glass rods + glass




IP20



62168B | 8x9W | G9 | Metal + aluminium tubes




IP20








60168 | 2x9W | G9 | Metal + aluminium tubes




IP20



| Order Code | Colour | Watts | Input | Class |  | Notes |
|---------------|--------|-------|----------|---|---|-------|
| 62164A | Chrome | 4x9W | 100-240V |  | 5 | - |
| 62164B | Chrome | 6x9W | 100-240V |  | 1 | - |
| 62168B | Chrome | 8x9W | 100-240V |  | 1 | - |
| 60168 | Chrome | 2x9W | 100-240V |  | 8 | - |

one


The Classic Range



62166B | 5x9W | G9 | Metal + glass



3
YEAR




IP20



63166P | 5x9W | G9 | Metal + glass



3
YEAR



IP20

| Order Code | Colour | Watts | Input | Class | | Notes |
|---------------|--------|-------|----------|-------|---|-------|
| 62166B | Chrome | 5x9W | 100-240V | ⊕ | 2 | - |
| 63166P | Chrome | 5x9W | 100-240V | ⊕ | 2 | - |



The Cube Range



60178A | 9W | G9 | Metal + glass




3
YEAR

new

IP20



Suitable for G9 LED lamps.



60178B | 4x9W | G9 | Metal + glass




3
YEAR




new

IP20



Suitable for G9 LED lamps.



| Order Code | Colour | Watts | Input | Class |  | Notes |
|-----------------|--------|-------|----------|--|---|-------|
| 60178A/C | Chrome | 9W | 100-240V |  | 10 | - |
| 60178B/C | Chrome | 4x9W | 100-240V |  | 1 | - |